



### TARGET 3.5:

Strengthen the prevention and treatment of substance abuse, including narcotic drug abuse and harmful use of alcohol



Integrated African Health Observatory (IAHO)

**INDICATOR 3.5.1:** Coverage of treatment interventions (pharmacological, psychosocial and rehabilitation and aftercare services) for substance use disorders

Data source: WHO, 2020




<b>OUTPATIENT:</b> must cover all 4 levels of care 	<b>Early intervention</b>
	<b>Outpatient recovery/ motivational enhancement therapies &amp; strategies</b> 9 hours/ week for adults, 6 hours/ week for adolescents
	<b>Intensive Outpatient</b> 9+ hours/ week for adults, 6+ hours/week for adolescents
	<b>Partial Hospitalization</b> 20+hours/week adults & adolescents
<b>INPATIENT:</b> must cover at least 2 of 5 levels of care 	<b>Clinically Managed Low-Intensity Residential</b> 24 hours living support & 5+ hours clinical services/ week for adults & adolescents
	<b>Clinically Managed Population-Specific High-Intensity Residential</b> 24 hours care with trained counselors for adults & less intensive treatment for those with cognitive or other impairments
	<b>Clinically Managed High-Intensity/Medium-Intensity Residential</b> 24 hours care with trained counselors
	<b>Medically Monitored Intensive Inpatient Withdrawal Management/ High-Intensity Inpatient</b> 24 hours nursing, physician availability, and 16 hours per day counselling
	<b>Medically Managed Intensive Inpatient</b> 24 hours nursing and daily physician care for adults & adolescents


In 2017, the coverage of treatment interventions (pharmacological, psychosocial and rehabilitation and aftercare services) for substance use disorders in the **African Region** was **27 (%)**. During the same year, 11,970 died due to alcohol use disorders including 9328 men (78%) and 2641 women (22%).

**INDICATOR 3.5.2:** Alcohol per capita consumption (aged 15 years and older) within a calendar year in litres of pure alcohol

Data source: WHO, 2020



**Percentage of drinkers categories in the African Region, 2017**



In the African Region, at the end of year 2017, out of the 47 countries, 30 did not have a national policy on alcohol, 14 had written it, 2 had written but not officialized it and only one had a total alcohol ban.